+ Copyright:
All rights reserved by Celluon, All page contents are properties of Celluon.
+ Celluon, evoMouse®, Magic Cube® are trademarks or registered trademarks of Celluon.
All other products are trademarks or registered trademarks of the respective companies. Safety Precautions $1. \ A void \ exposing \ this \ product \ to \ direct \ sunlight \ for \ extended \ periods \ of \ time, \ and \ keep \ it$ away from heat sources. 2. There is a risk of malfunction if product is used in places where sudden or extreme temperature changes occur. 3. Applying excessive force or impact to this product may result in product damage, and will void warranty. 4. To ensure safety and prevent damage, use only the dedicated Micro-USB to USB cable supplied with this product. 5. Never attempt to disassemble or service this product yourself. Doing so can result in electrical shock and void warranty. 6. This is a Class 1 Laser product. For your safety, please do not stare directly into the laser source. Doing so could damage your eyes. This equipment has been tested and found to comply within the limits for a Class B digital device, pursuant to Part15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a residential environment.

❸Bluetooth^{*} Projection Keyboard

This equipment generates, uses, and radiates radio frequency energy, and if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur with special installation. If this equipment does cause interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to correct the interference by one of the following measures:
- Reorient or relocate the receiving antenna. - Increase separation between the equipment and receiver.

Use of control or adjustments or performances of procedures other than those specified here

RF Exposure InformationThe antenna used for this transmitter must be installed to provide a separation distance of at

least 20cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter.

Battery may explode if replaced with an incompatible battery. Dispose the used batteries according to the instructions.

"This transmitter must not be co-located or operated in conjunction with any other.

2. Antenna shall be mounted in such a manner to minimize the potential for human contact

To protect the environment, dispose this product separately from household

waste once it has reached its end of life, or take it to your local electronic

Rechargeable Lithium-ion Polymer Battery: Battery Operating Time: Approx. 120 minutes (with continuous use)

the battery. When charging is complete,

battery status LED turns green.

during normal operation. The antenna should not be touched during operation to avoid the possibility of exceeding the FCC radio frequency exposure limit. > Environmentally Friendly Disposal and Recycling

in may result in hazardous radiation exposure.

IEC-60825-1 Caution

antenna or transmitter.

> Caution:

> Contents

Capacity: 660 mAh (Max) @ 3.7V Charging the Battery: Use supplied USB cable to begin charging

waste disposal center.

Built-in Battery

2. Package Contents

Charging Time: Approx. 180 minutes

3. How Epic Works

5. Connecting Epic

3. How It Works: Technology

This product emits infrared light from the lower end of the device to detect objects such as fingers. When an object passes through they are illuminated by the infrared light source, any

(3) IR: emits an invisible plane of light to blanket operational area.

14 -

cpic pairs via biactootii.
- Compatible with any Bluetooth HID devices:
iOS 4 and later (most iPhone and iPad)
Android 4.0 or later
Windows XP/Vista/7/8
Mac OS X
Blackberry 10
PS3

** Pass code is not required for Bluetooth HID connection.

< 🔯 Bluetooth

E Celluon PK Series

₩

🚸 🔃 🛱 🖟 67% 🖥 6:20 PM

6. Making Adjustments

+ To increase sound level: Tap and hold "FN" key and tap UP arrow key + To decrease sound level: Tap and hold "FN" key and tap DOWN arrow key.

> Sensitivity Adjustment 20 -

> Multi-Touch Mouse Mode

> Sound Feedback Adjustment

pairing on Android

7. Specification

>Pattern Projector Specification Item Light Source Red Laser Diode

Keyboard Layout Approx. 19mm Pitch, QWERTY Layout Approx. Width: 240mm, Height: 100mm Keyboard Size Approx. 100mm from the bottom of device Keyboard Location

	negoodia cocamon	
	Projection Surface	Flat, opaque surface
	Item	Specification
	Recognition Rate	Approx. up to 350 characters per minute
	Operating Surface	Any firm flat surface
24 +		

24 -		
	>Environmental Condition	าร
	Item	Specification
	Operating	0~35 °c /90%R⊦

Storage

Temperature

Size (mm)

Weight (g)

>Dimensions and Specifications

+ Multi-touch mouse function is only available on devices that support such feature (Windows 7 and later, Mac OS). Mouse/cursor function is available on devices that support such feature (Most Windows, Android and Mac OS). $\textbf{Note:} \ \text{iOS devices do not support mouse function}.$ 1. From keyboard mode, press and hold "FN" and tap on cursor button, located adjacent to space bar to switch to mouse function. Blinking LED indicates mouse mode. 2. Tap on cursor key to switch back to keyboard mode. Solid LED indicates keyboard mode.

> Projection Brightness Adjustment + There are total of 5 brightness levels + To increase brightness: Tap and hold "FN" key and tap RIGHT arrow key. + To lower brightness: Tap and hold "FN" key and tap LEFT arrow key. + To increase sensitivity: Tap and hold "FN" key and tap ">." key. + To lower sensitivity: Tap and hold "FN" key and tap "<," key.

+ There are total of 5 levels; sound level remains as adjusted when device is turned off and on.

infrared light reflecting off of an object is detected by the sensor. Information on the position and movement of the object is then analyzed to perform the

product's role as a keyboard. Sensitivity: Difference in thickness, shape, and color of the user's fingers or operating environment will result in differences in the amount of reflected infrared light. Please adjust sensitivity that best suits your environment.

Refer to "Section 6: Making Adjustments" on how to adjust sensitivity.

4. Identifying Parts (1) Pattern Projector: laser projects an image of keyboard pattern onto a flat surface in front of the typist.

(2) Sensor: detects reflection of infrared and triangulates the location to determine a keystroke. **LED Indicator** Lower LED Battery Bluetooth HID Upper LED Charging Red Searching last device Blue (Blinking)

Blue (Blinking) Full Searching new device Seccessful pairing Blue (Blinking) 5. Connecting Epic

keyboard layout. Note Because this product uses infrared rays, strong infrared radiation from direct or reflected sunlight or from tungsten (halogen or incandescent) lighting may cause operating error. Caution

4. Avoid a table or surface that is as transparent or reflective as glass or mirror. 5. Avoid placing any objects within the space between the main unit and the laser projected Although this equipment is classified as Class 1 Laser product, for your safety, do not directlyexpose your eyes to pattern projection beams or infrared rays.

1. Power on Epic

Enabling Pairing Mode 1. Turn on Epic.

4. Pair with device.

pairing on iOS


> Power Saving Mode

(fingers must be separated).

Control the Curso

Drag & Scroll

Front View Pattern Projecto Epic



3. Press and hold pairing switch for about 2 seconds.

7. Avoid placing any object within the space between main unit and laser projection

surface. Avoid table or surface that is reflective, such as glass or mirror.

1. This device may not cause harmful interference to another device.

- Consult the dealer or an experienced radio/TV technician.

Operation is subject to the following two conditions:

(1) This device may not cause interference.

8. Please do not use this product on uneven or irregular surfaces. Place the product on a flat

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two

2. This device must accept any interference received, including interference that may cause

- Connect the equipment to an outlet on a circuit different from which the receiver is connected.

Any changes or modifications in construction of this device which are not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Risk of explosion if battery is replaced by an incorrect type. Dispose of used batteries according to the instructions.

(2) This device must accept any interference, including interference that may cause undesired

FCC ID: TCLEPIC

If you charge the battery while using the product, it may take longer to charge.

When Epic is extremely low on power, it needs to charge for up to 5 minutes before you can

1. For Safety reasons, be sure to use only the Micro USB to USB cable specified for this product. 2. Make sure to fully charge the battery before using the product for the first time.

3. Battery charging times may vary slightly depending on the ambient temperature.
4. The battery may not be charged to 100 percent of its rated cell capacity even when the

5. Using or storing the battery in high temperature, humidity and pressure environments may

6. Since the battery is a consumable item, its storage capacity decreases gradually through

+ Built-in lithium-ion rechargeable battery for mobility and convenience
+ Compatible with latest operating systems: Windows XP/Vista/7/8 (not compatible with Windows Phone 7 and 8), iOS 4 and later (most iPhone and iPad),

2. Avoid low color temperature light source, such as tungsten, halogen, or incandescent lamp.

**When using Epic on slanted surfaces such as an airplane tray table, please note that device

3. Avoid uneven or irregular surfaces. Place the product on flat surfaces.

CLASS 1 LASER PRODUCT

+ 05

This device complies with Industry Canada license- exempt RSS standard(s).

keyboard layout.

FCC Compliance Information

undesired operation.

CE Caution

> Certification

C

use it.

> Cautions

Industry Canada Statement

operation of the device

KC No : KCC-CRM-CLK-Epic

Industry Canada

battery status LED indicates green light.

cause the battery to explode

+ English QWERTY keyboard layout + Truly portable design: perfect for on-the-go

+ Full size key pitch and shortcut keys for ease of operation + Superior durability (no moving parts inside)

Android 4.0 and later, Mac OS X, Blackberry 10

and/or projected keyboard layout may shift.


charge cycles.

1. Product Features

2. Package Contents

Conditions to Avoid: 1. Avoid direct sunlight.


+ Epic + Micro USB Cable + User Manual + Ouick Start Guide




Rear View

Pairing Switch 2. On primary device, go to Bluetooth setting; search for Bluetooth devices. 2. Locate pairing switch (refer to illustration on page 15).

Power Switch





Click & Right Click



Forward & Back

AS .	
Electrical Characteristics	
Item	Specification
Item External Power Supply	Specification USB Power / less than 5V 500mA
External Power Supply	•
	USB Power / less than 5V 500mA
External Power Supply Battery & Capacity	USB Power / less than 5V 500mA Lithium-ion Polymer Battery, 660 mAH (MAX) @3.7V
External Power Supply Battery & Capacity Battery Operating Time	USB Power / Iess than 5V 500mA Lithium-ion Polymer Battery, 660 mAH (MAX) @3.7V Approx. 120min
External Power Supply Battery & Capacity Battery Operating Time Battery Charging Time	USB Power / less than 5V 500mA Lithium-ion Polymer Battery, 660 mAH (MAX) @3.7V Approx. 120min Approx. 180min
External Power Supply Battery & Capacity Battery Operating Time Battery Charging Time Bluetooth	USB Power / less than 5V 500mA Lithium-ion Polymer Battery, 660 mAH (MAX) @3.7\ Approx. 120min Approx. 180min V3.0(class2), HID Profile Ver 1.0

Celluon, Inc.

MEMO

Ace High-End Tower 1101, 235-2 Guro-dong, Guro-gu Seoul, Korea (152-740) sales@celluon.com

support@celluon.com

-5~35°c/~90%RH

Specification

Approx. 60g

70mm x 20mm x 35mm